## NSN 3020-00-103-1083

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-103-1083

Body Style:
Webbed, solid
Attachment Method:
Mounting hole
Pitch Diameter:
1.5625 inches
Teeth Quantity:
100
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unf axially through body, first end
Mounting Hole Thready Qty Per Inch (tpi):
56 axially through body, first end
Mounting Hole Thread Size:
0.1250 inches axially through body, first end
Mounting Hole Type And Quantity:
4 threaded axially through body, first end
Outside Diameter:
1.5918 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.125 inches first end
Body Recess Depth:
0.0625 inches second end
Face Width:
0.125 inches
Bore Diameter:
0.6254 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
0.6872 inches first end
Precision Classification:
Quality number 10
Bolt Hole Circle Diameter:
1.282 inches axially through body, first end
Material:
Steel comp 416

## NSN 3020-00-103-1083

Spur Gear - Page 2 of 2



Material Specification
------------------------

Qq-s-764, type 416 cond a federal specification single material response

**Style Designator:** 

Protruding hub, recessed body

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_

Demilitarization:

No

Fiig:

A27300