NSN 3020-00-106-4048

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-106-4048

Spline Major Diameter:
0.481 inches
Outside Diameter:
Between 3.058 inches and 3.088 inches
Overall Length:
0.625 inches
Spline Quantity:
14
Spline Minor Diameter:
0.418 inches
Pitch Diameter:
2.873 inches
Face Width:
Between 0.160 inches and 0.168 inches
Design Form:
Plain
Bore Type:
Involute spline
Metallic Hardness Rating And Location:
38.0 rockwell c body and 42.0 rockwell c body
Spline Pressure Angle In Deg:
30.0
Spline Length:
0.625 inches
Counterbore Feature:
Not included
Spline Pitch Diameter:
0.4375 inches
Securing Method:
Any acceptable
Lightening Hole:
Not included
Protruding Hub Characteristic:
Plain
Securing Location:
Aa end
Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:

NSN 3020-00-106-4048 Sprocket Wheel - Page 2 of 2



Teeth Quantity Per Row:
24
Asa Standard Chain Number:
35
Hardness Rating Test Method:
Rockwell
Teeth Hardness Rating:
Between 38.0 rockwell c and 42.0 rockwell c
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
0.375 inches
Hub End Outside Diameter And Location:
0.710 inches aa end
Distance From Outside Flange/rim To Hub End And Location:
0.457 inches aa end
Material:
Steel, corrosion resisting
Material:
Stainless steel
Surface Treatment:
Oxide
Style Designator:
Plain
Surface Treatment:
Black oxide
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-c