NSN 3020-00-107-3243

Spur Gear - Page 1 of 2

Protruding hub



View Online at https://aerobasegroup.com/nsn/3020-00-107-3243

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
0.7500 inches
Teeth Quantity:
24
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
40 transversely through hub, first end
Mounting Hole Thread Size:
0.1120 inches transversely through hub, first end
Mounting Hole Type And Quantity:
1 threaded transversely through hub, first end
Outside Diameter:
0.813 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.205 inches first end
Face Width:
0.045 inches
Bore Diameter:
0.1255 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
0.380 inches first end
Material:
Copper alloy
Surface Treatment:
Nickel and chromium
Surface Treatment Specification:
Mil-c-26074, cl 2 military specification 1st treatment response and qq-c-230 type 1, cl 2 federal specification 2nd treatment response
Style Designator:

NSN 3020-00-107-3243

Spur Gear - Page 2 of 2



N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
_	

Shelf Life:

Mil-std (military Standard):

Mil-c-26074 spec.