NSN 3020-00-108-1625

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-108-1625

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
Between 1.2490 inches and 1.2500 inches
Teeth Quantity:
120
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc axially through body, first end
Mounting Hole Thready Qty Per Inch (tpi):
56 axially through body, first end
Mounting Hole Thread Size:
0.086 inches axially through body, first end
Mounting Hole Type And Quantity:
3 plain axially through body, first end and 3 threaded axially through body, first end
Outside Diameter:
1.269 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Face Width:
0.062 inches
Bore Diameter:
0.375 inches both ends
Precision Classification:
Quality number 10 or quality number 11
Mounting Hole Diameter:
0.102 inches axially through body, first end
Bolt Hole Circle Diameter:
0.750 inches axially through body, first end
Special Features:
Unthd mtg holes spaced 120 degrees apart, thd mtg holes spaced 120 degrees apart and 60 degrees from unth mtg holes
Material:
Steel comp 303
Material Specification:
Qq-s-764, type 303, cond a federal specification single material response
Surface Treatment:

Passivate

NSN 3020-00-108-1625

Spur Gear - Page 2 of 2



Style Designator:
Hubless

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300