NSN 3020-00-113-9161

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-113-9161

Body Style: Plain, solid **Attachment Method:** Mounting hole **Pitch Diameter:** 0.2166 inches **Teeth Quantity:** 26 **Bore Style:** Plain both ends Mounting Hole Thread Series Designator: Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 56 transversely through hub, first end Mounting Hole Thread Size: 0.0860 inches transversely through hub, first end Mounting Hole Type And Quantity: 2 threaded transversely through hub, first end **Outside Diameter:** 0.2330 inches **Tooth Form:** Standard Flange Diameter: 0.320 inches **Pressure Angle:** 20.0000 degrees Flange Thickness: 0.146 inches Face Width: 0.050 inches **Bore Diameter:** 0.094 inches both ends Distance Between Outer Body Face And Inner Flange Face: 0.1340 inches Hub Style Designator: Plain first end **Hub Diameter:** 0.1800 inches between body and flange **Precision Classification:** Quality number 10 Material: Steel comp 303

NSN 3020-00-113-9161

Spur Gear - Page 2 of 2



Material Specification:

Mil-s-7720, comp 303s military specification single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Style Designator:

Flanged end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization: No

Fiig:

A27300

Mil-std (military Standard):

Mil-s-7720 spec.