NSN 3020-00-114-0982

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-114-0982 **Attachment Method:** Mounting hole Pitch Diameter: 0.4375 inches **Teeth Quantity:** 28 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 56 transversely through hub, first end **Mounting Hole Thread Size:** 0.086 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 2 threaded transversely through hub, first end **Outside Diameter:** 0.467 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.172 inches first end **Face Width:** 0.178 inches **Bore Diameter:** 0.125 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:** 0.313 inches first end **Special Features:** Attaching holes located 120 degrees apart Material: Steel comp 303 **Material Specification:** Qq-s-763, class303 federal specification single material response **Surface Treatment: Passivate Style Designator:**

Protruding hub

NSN 3020-00-114-0982

Spur Antibacklash Gear - Page 2 of 2



		ife:	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300