## NSN 3020-00-119-9785

Spur Gear - Page 1 of 2

**Body Style:** 



View Online at https://aerobasegroup.com/nsn/3020-00-119-9785

Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
1.6440 inches
Teeth Quantity:
21
Bore Style:
W/ keyway both ends
Hardness Rating:
81.0 rockwell a and 84.0 rockwell a
Mounting Hole Type And Quantity:
2 plain transversely through hub, first end
Outside Diameter:
1.787 inches
Nominallength:
0.781 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.199 inches first end
Face Width:
0.500 inches
Bore Diameter:
0.588 inches both ends
Keyway Width:
0.172 inches both ends
Distance From Bore Center To Keyway Bottom:
0.345 inches both ends
Hub Style Designator:
Plain both ends
Hub Diameter:
1.016 inches second end
Mounting Hole Diameter:
0.078 inches transversely through hub, first end
Material:
Steel comp e9310

Material Specification:

Ams 6260 assn standard single material response

## NSN 3020-00-119-9785

Spur Gear - Page 2 of 2



•	_		
Style	D)es	sıan	ator:
,		J. 9.	

Protruding hubs

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300