## NSN 3020-00-127-6219

Spur Gear - Page 1 of 2

**Body Style:** 



View Online at https://aerobasegroup.com/nsn/3020-00-127-6219

Plain, solid
Attachment Method:
Clamp
Pitch Diameter:
3.3333 inches
Teeth Quantity:
80
Bore Style:
W/counterbore both ends
Outside Diameter:
3.416 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.500 inches first end
Face Width:
0.156 inches
Bore Diameter:
0.250 inches both ends
Counterbore Depth:
0.281 inches both ends
Counterbore Diameter:
0.373 inches both ends
Hub Style Designator:
1 step first end
End Length:
0.313 inches first end
Precision Classification:
Quality number 12
End Diameter:
0.312 inches first end
First Step Length:
0.188 inches first end
First Step Diameter:
0.750 inches first end
Material:
Steel
Material Specification:
66 federal standard 1st material response and aisi/sae 1018 through 102 assn standard 2nd material response

## NSN 3020-00-127-6219

Spur Gear - Page 2 of 2



_	•		_	-		
<b>ن</b>	ırfa	$\sim$	I ro	-atn	nor	٠.

Cadmium

Style Designator:

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_

Demilitarization:

Yes - demil/mli

Fiig:

A27300