## NSN 3020-00-127-8517

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-127-8517 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.4170 inches **Teeth Quantity:** 40 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end **Mounting Hole Thread Size:** 0.086 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 2 threaded transversely through hub, first end **Outside Diameter:** 0.437 inches **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.156 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.094 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:** 0.312 inches first end Material: Steel comp 303 **Material Specification:** Mil-s-7720, comp 303, cond a military specification single material response **Surface Treatment: Passivate Style Designator:** Protruding hub Shelf Life: N/a

**Unit Of Measure:** 

## NSN 3020-00-127-8517

Spur Gear - Page 2 of 2



Dem			

Yes - demil/mli

Fiig:

A27300

Mil-std (military Standard):

Mil-s-7720 spec.