## NSN 3020-00-134-8074

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-134-8074

## Body Style:

Plain, solid

### **Pitch Diameter:**

Between 1.1448 inches and 1.1458 inches

## Teeth Quantity:

55

## Bore Style:

W/ keyway both ends

## **Outside Diameter:**

1.186 inches

**Tooth Form:** 

#### Standard

Pressure Angle:

#### 20.0000 degrees

Distance Between Body Face And Protruding Hub End:

0.135 inches first end

#### Face Width:

0.125 inches

#### Bore Diameter:

0.250 inches both ends

## Keyway Width:

0.065 inches both ends

## Distance From Bore Center To Keyway Bottom:

0.175 inches both ends

### Hub Style Designator:

Plain first end

#### Hub Diameter:

0.406 inches first end

### **Precision Classification:**

Quality number 10

Material:

Steel comp 303s

### Material Specification:

Mil-s-7720, comp 303s, cond a military specification single material response

#### Surface Treatment:

Passivate

#### Style Designator:

Protruding hub

#### Shelf Life:

N/a

#### Unit Of Measure:

---

# NSN 3020-00-134-8074

Spur Gear - Page 2 of 2



No

Fiig:

A27300

Mil-std (military Standard):

Mil-s-7720 spec.

