NSN 3020-00-137-9702

Spur Gear - Page 1 of 2



Body Style:

Plain, solid

Attachment Method:

Clamp

Pitch Diameter:

Between 0.8743 inches and 0.8750 inches

Teeth Quantity:

84

Bore Style:

Plain both ends

Outside Diameter:

0.895 inches

Tooth Form:

Standard

Pressure Angle:

20.0000 degrees

Distance Between Body Face And Protruding Hub End:

0.287 inches first end

Face Width:

0.093 inches

Bore Diameter:

0.120 inches both ends

Hub Style Designator:

Split first end

Hub Diameter:

0.187 inches first end

Clamping Surface Length:

0.250 inches first end

Precision Classification:

Quality number 12

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-225/6, t4 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541a class 1 military specification single treatment response

Style Designator:

Protruding hub

Shelf Life:

N/a



NSN 3020-00-137-9702

Spur Gear - Page 2 of 2

AeroBase Group

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A27300

Mil-std (military Standard):

Mil-c-5541a spec.