## NSN 3020-00-139-4213

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-139-4213

### Body Style:

Plain, solid

#### Pitch Diameter:

Between 1.7499 inches and 1.7500 inches

## Teeth Quantity:

126

## Bore Style:

Plain both ends

#### **Backlash Designation:**

Grade c

#### **Outside Diameter:**

1.777 inches

#### Tooth Form:

Standard

#### Pressure Angle:

20.0000 degrees

### Distance Between Body Face And Protruding Hub End:

0.219 inches first end

#### Face Width:

0.187 inches

## Bore Diameter:

0.125 inches both ends

#### Hub Style Designator:

Pinned first end

#### Hub Diameter:

0.375 inches first end

#### **Precision Classification:**

Quality number 10 or quality number 11

#### **Special Features:**

Cres bushing to insure bore tolerances

#### Material:

Plastic polyhexamethylene amide

#### Material Specification:

Mil-m-20693, comp a, type 3, grade e military specification single material response

#### Style Designator:

Protruding hub

#### Shelf Life:

N/a

## Unit Of Measure:

--

## Demilitarization:

No

# NSN 3020-00-139-4213

Spur Gear - Page 2 of 2

**Fiig:** A27300

Mil-std (military Standard):

Mil-m-20693 spec.

