NSN 3020-00-139-4538

Spur Gear - Page 1 of 2

response



View Online at https://aerobasegroup.com/nsn/3020-00-139-4538

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
1.6667 inches
Teeth Quantity:
120
Bore Style:
Plain both ends
Mounting Hole Type And Quantity:
4 plain axially through body, first end
Outside Diameter:
1.699 inches
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.623 inches first end
Face Width:
0.126 inches
Bore Diameter:
0.250 inches both ends
Hub Style Designator:
2 steps first end
End Length:
0.125 inches second end
End Diameter:
0.187 inches second end
First Step Length:
0.375 inches first end
First Step Diameter:
0.210 inches second end
Second Step Length:
0.123 inches first end
Second Step Diameter:
0.310 inches first end
Mounting Hole Diameter:
0.375 inches axially through body, first end
Material:
Steel comp 303 or steel comp 303se
Material Specification:
Qq-s-764, type 303-canceled federal specification 1st material response or qq-s-764, type 303se-canceled federal specification 2nd material

NSN 3020-00-139-4538

Spur Gear - Page 2 of 2

Mil-std (military Standard):

Mil-f-14072 spec.



Surface Treatment:
Passivate
Surface Treatment Specification:
Mil-f-14072, finish e300 military specification single treatment response
Style Designator:
Protruding hubs
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A27300