NSN 3020-00-141-2155

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-141-2155

Outside Diameter:
4.260 inches
Overall Length:
0.875 inches
Keyway Width:
Between 0.1885 inches and 0.1905 inches
Bore Diameter:
Between 2.501 inches and 2.5025 inches
Bore Length:
0.875 inches
Distance From Center Of Bore To Bottom Of Keyway:
Between 1.3398 inches and 1.3505 inches
Pitch Diameter:
3.989 inches
Face Width:
0.284 inches
Design Form:
Plain
Bore Type:
Straight
Metallic Hardness Rating And Location:
55.0 rockwell c hub and 62.0 rockwell c hub
Counterbore Feature:
Not included
Keying Facility:
Included
Keying Facility Type:
Keyway
Lightening Hole:
Not included
Protruding Hub Characteristic:
Plain
Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:
1
Teeth Quantity Per Row:
25
Hardness Rating Test Method:
Rockwell

Rockwell

NSN 3020-00-141-2155 Sprocket Wheel - Page 2 of 2



Teeth Hardness Rating:
Between 55.0 rockwell c and 62.0 rockwell c
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
0.500 inches
Hub End Outside Diameter And Location:
3.125 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.312 inches aa end and 0.317 inches aa end and 0.274 inches bb end and 0.279 inches bb end
Special Features:
5/32 in. By 45 degrees chamfer aa end of bore
Material:
Steel
Material:
Steel
Quantity:
1
Style Designator:
Plain
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-c