# NSN 3020-00-141-2155

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-141-2155

Outside Diameter:
4.260 inches
Overall Length:
0.875 inches
Keyway Width:
Between 0.1885 inches and 0.1905 inches
Bore Diameter:
Between 2.501 inches and 2.5025 inches
Bore Length:
0.875 inches
Distance From Center Of Bore To Bottom Of Keyway:
Between 1.3398 inches and 1.3505 inches
Pitch Diameter:
3.989 inches
Face Width:
0.284 inches
Design Form:
Plain
Bore Type:
Straight
Metallic Hardness Rating And Location:
55.0 rockwell c hub and 62.0 rockwell c hub
Counterbore Feature:
Not included
Keying Facility:
Included
Keying Facility Type:
Keyway
Lightening Hole:
Not included
Protruding Hub Characteristic:
Plain
Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:
1
Teeth Quantity Per Row:
25
Hardness Rating Test Method:
Rockwell

# NSN 3020-00-141-2155

Sprocket Wheel - Page 2 of 2



#### **Teeth Hardness Rating:**

Between 55.0 rockwell c and 62.0 rockwell c

## Bore Bearing:

Not included

## Hub External Keyway:

Not included

## Tooth Pitch:

0.500 inches

### Hub End Outside Diameter And Location:

3.125 inches both ends

## Distance From Outside Flange/rim To Hub End And Location:

0.312 inches aa end and 0.317 inches aa end and 0.274 inches bb end and 0.279 inches bb end

#### **Special Features:**

5/32 in. By 45 degrees chamfer aa end of bore

#### Material:

Steel

#### Material:

Steel

### Quantity:

1

# Style Designator:

Plain

#### Shelf Life:

N/a

# Unit Of Measure:

---

#### Demilitarization:

No

# Fiig:

Т353-с