

View Online at <https://aerobasegroup.com/nsn/3020-00-141-8342>

Groove Depth:

0.5325 inches

Groove Width:

Between 0.375 inches and 0.380 inches

Outside Diameter:

5.250 inches

Overall Length:

2.796 inches

Thread Size:

1/4 - 20

Bore Diameter:

Between 0.6235 inches and 0.6240 inches

Bore Length:

1.500 inches

V Groove Angle In Deg:

28.0

Pitch Diameter:

5.000 inches

Securing Hole Quantity:

4

Material And Location:

Steel, qq-s-633, fs1010-canceled and steel, qq-s-681, class 2

Face Width:

2.093 inches

Design Form:

Webbed

Bore Type:

Straight

Bearings:

Not included

Groove Quantity:

4

Counterbore Feature:

Not included

Hole Location:

Equally spaced on 1.875 in. Bolt circle

Keying Facility:

Not included

Securing Method:

Threaded hole

Split Hub Feature:

Not included

Web/spoke Relationship To Face Centerline:

Offset

Lightening Hole:

Not included

Integral Cooling Vane:

Not included

Groove Shape:

V

Bore Feature:

Included

Securing Location:

Bb end

Hub End Outside Diameter And Location:

1.500 inches aa end and 1.120 inches bb end

Distance From Outside Flange/rim To Hub End And Location:

1.250 inches aa end and 0.703 inches bb end

Surface Treatment:

Phosphate coated

Style Designator:

Webbed or spoked

Surface Treatment:

Phosphate coated

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T353-a