## NSN 3020-00-151-7588



Sprocket Wheel - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-151-7588 **Outside Diameter:** 3.000 inches **Overall Length:** 0.625 inches **Bore Diameter:** 0.688 inches **Bore Length:** 0.670 inches **Drilled Hole Diameter:** 0.189 inches **Securing Hole Quantity:** Face Width: 0.135 inches **Design Form:** Plain **Bore Type:** Straight **Metallic Hardness Rating And Location:** 33.0 rockwell c body and 38.0 rockwell c body **Counterbore Feature:** Not included **Hole Location:** On hub **Keying Facility:** Not included **Securing Method:** Drilled hole **Lightening Hole:** Not included **Protruding Hub Characteristic: Teeth Row Quantity: Teeth Quantity Per Row:** 

**Hardness Rating Test Method:** Rockwell **Bore Bearing:** Not included

**Hub External Keyway:** 

Not included

## NSN 3020-00-151-7588

Sprocket Wheel - Page 2 of 2



Hub End C	Outside	Diameter	And	Location:
-----------	---------	----------	-----	-----------

1.125 inches aa end

**Distance From Outside Flange/rim To Hub End And Location:** 

0.530 inches aa end

Material:

Steel, mil-s-18729, comp 4130, cond n and steel, mil-s-6758

Material:

Steel comp 4130 and steel comp 4130

**Material Specification:** 

Mil-s-18729, comp 4130, cond n military specification 1st material response and mil-s-6758 military specification 2nd material response

**Surface Treatment:** 

Phosphate

**Style Designator:** 

Plain

**Surface Treatment:** 

Phosphate

Shelf Life:

N/a

**Unit Of Measure:** 

**Demilitarization:** 

No

Fiig:

T353-c

Mil-std (military Standard):

Mil-s-18729 spec.