NSN 3020-00-157-2155

Spur Gear - Page 1 of 2

Body Style:



View Online at https://aerobasegroup.com/nsn/3020-00-157-2155

Webbed, with lightening holes
Pitch Diameter:
4.0000 inches
Teeth Quantity:
48
Bore Style:
Plain both ends
Hardness Rating:
40.0 rockwell c and 50.0 rockwell c teeth
Outside Diameter:
4.166 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
2.589 inches first end
Face Width:
0.150 inches
Hub Style Designator:
3 steps first end
End Length:
0.660 inches first end
Precision Classification:
Quality number 9
End Diameter:
1.174 inches first end
First Step Length:
0.650 inches first end
First Step Diameter:
1.182 inches first end
Second Step Length:
1.090 inches second end
Second Step Diameter:
1.250 inches first end
Third Step Length:
1.199 inches first end
Third Step Diameter:
1.345 inches first end
Material:
Steel

NSN 3020-00-157-2155

Spur Gear - Page 2 of 2

A27300



Surface Treatment:
Oxide
Style Designator:
Protruding hubs
Test Data Document:
81343-ams2640 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format;
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig: