NSN 3020-00-163-5318

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-163-5318

view Online at https://aerobasegroup.com/hsn/3020-00-163-5318
Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
0.9375 inches
Teeth Quantity:
30
Bore Style:
Plain both ends
Hardness Rating:
28.0 rockwell c and 32.0 rockwell c
Mounting Hole Type And Quantity:
1 countersunk axially through body, first end
Outside Diameter:
0.998 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.160 inches first end
Face Width:
0.050 inches
Bore Diameter:
0.090 inches both ends
Hub Style Designator:
Split first end
Hub Diameter:
0.156 inches first end
Clamping Surface Length:
0.128 inches first end
Precision Classification:
Quality number 10 or quality number 11
Mounting Hole Diameter:
0.070 inches axially through body, first end
Bolt Hole Circle Diameter:
0.656 inches axially through body, first end
Material:
Steel comp 416 and steel comp 416se
Material Specification:

Qq-s-764, cond a-canceled federal specification single material response

NSN 3020-00-163-5318

Spur Gear - Page 2 of 2

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300

