NSN 3020-00-163-7746

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-163-7746 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: Between 1.2493 inches and 1.2500 inches **Teeth Quantity:** 150 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 32 transversely through hub, first end **Mounting Hole Thread Size:** 0.138 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 1.266 inches Nominallength: 0.437 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.250 inches first end **Face Width:** 0.187 inches **Bore Diameter:** 0.250 inches both ends **Hub Style Designator:** Pinned first end **Hub Diameter:** 0.500 inches first end **Precision Classification:** Quality number 12 Material: Steel comp 303 **Material Specification:** Qq-s-763, class303 federal specification single material response

NSN 3020-00-163-7746

Spur Gear - Page 2 of 2

A27300



Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: