

View Online at <https://aerobasegroup.com/nsn/3020-00-165-4250>

Counterbore Diameter:

0.188 inches

Counterbore Depth:

0.160 inches

Outside Diameter:

0.317 inches

Overall Length:

0.250 inches

Bore Diameter:

0.094 inches

Bore Length:

0.250 inches

Drilled Hole Diameter:

Between 0.047 inches and 0.049 inches

Securing Hole Quantity:

1

Face Width:

0.125 inches

Guide:

Not included

Design Form:

Plain

Bore Type:

Straight

Metallic Hardness Rating And Location:

58.0 rockwell c body and 60.0 rockwell c body

Counterbore Feature:

Included

Counterbore Location:

Aa end

Hole Location:

Thru hub

Keying Facility:

Not included

Securing Method:

Drilled hole

Lightening Hole:

Not included

Belt/chain/film Size For Which Designed:

Positive drive belt

Teeth Row Quantity:

1

Teeth Quantity Per Row:

39

Hardness Rating Test Method:

Rockwell

Teeth Hardness Rating:

Between 58.0 rockwell c and 60.0 rockwell c

Bore Bearing:

Not included

Tooth Pitch:

0.128 inches

Hub End Outside Diameter And Location:

0.250 inches aa end

Distance From Outside Flange/rim To Hub End And Location:

0.125 inches aa end

Material:

Steel, qq-s-763, class 440c, cond a

Material:

Steel comp 440c

Material Specification:

Qq-s-763, class 440c, cond a federal specification single material response

Style Designator:

Plain

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T353-c