NSN 3020-00-167-4201



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-167-4201 **Body Style:** Plain, solid **Attachment Method:** Clamp Pitch Diameter: Between 0.9365 inches and 0.9375 inches **Teeth Quantity:** 90 **Bore Style:** Plain both ends **Outside Diameter:** 0.957 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.219 inches first end **Face Width:** 0.062 inches **Bore Diameter:** 0.219 inches both ends **Hub Style Designator:** 1 step first end **End Length:** 0.203 inches first end **Precision Classification:** Quality number 10 or quality number 11 **End Diameter:** 0.312 inches first end First Step Length: 0.016 inches first end First Step Diameter: 0.343 inches first end Material: Steel comp 303 **Material Specification:** Qq-s-764, type 303, cond a federal specification single material response **Surface Treatment:**

Passivate

Surface Treatment Specification:

Mil-f-14072, finish e300 military specification single treatment response

NSN 3020-00-167-4201

Spur Gear - Page 2 of 2



Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
 Demilitarization:
Demilitarization:

Mil-std (military Standard):

Mil-f-14072 spec.