NSN 3020-00-171-3159

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-171-3159
Body Style:
Webbed, solid
Pitch Diameter:
3.0714 inches
Teeth Quantity:
43
Bore Style:
W/counterbore both ends
Hardness Rating:
30.0 rockwell c and 45.0 rockwell c teeth
Outside Diameter:
3.193 inches
Tooth Form:
Standard
Pressure Angle:
25.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.175 inches first end
Face Width:
0.210 inches
Bore Diameter:
1.160 inches both ends
Counterbore Depth:
0.455 inches second end
Counterbore Diameter:
1.260 inches second end
Hub Style Designator:
Plain both ends
Hub Diameter:
1.440 inches both ends
Precision Classification:
Quality number 10 or quality number 11
Material:
Steel comp e9310
Material Specification:
Ams 6260 assn standard single material response
Surface Treatment:

Oxide

Surface Treatment Specification:

Mil-f-495 military specification single treatment response

Style Designator:

Protruding hubs

NSN 3020-00-171-3159

Spur Gear - Page 2 of 2



_			-		
C	hο	.1+		.ife:	•
J	116		_	.II C	

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A27300

Mil-std (military Standard):

Mil-f-495 spec.