## NSN 3020-00-173-3266



Sprocket Wheel - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-173-3266 **Outside Diameter:** 0.761 inches **Overall Length:** Between 0.338 inches and 0.348 inches **Bore Diameter:** Between 0.251 inches and 0.252 inches **Bore Length:** Between 0.338 inches and 0.348 inches Pitch Diameter: 0.709 inches **Face Width:** 0.062 inches **Design Form:** Plain **Bore Type:** Straight **Counterbore Feature:** Not included **Lubrication Mode:** No visible means **Keying Facility:** Not included **Securing Method:** Press fit bearing **Lightening Hole:** Not included **Protruding Hub Characteristic:** Plain **Securing Location:** Both ends Belt/chain/film Size For Which Designed: Roller chain Roller Chain Pitch Type For Which Designed: Single pitch **Teeth Row Quantity: Teeth Quantity Per Row:** 

15

**Hardness Rating Test Method:** 

Not rated

**Bore Bearing:** 

Included

## **NSN 3020-00-173-3266** Sprocket Wheel - Page 2 of 2



Hub External Keyway:
Not included
Tooth Pitch:
0.147 inches
Hub End Outside Diameter And Location:
0.500 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.251 inches aa end and 0.030 inches bb end
Material:
Steel, qq-s-764, type 303, cond a-canceled
Material:
Steel comp 303
Material Specification:
Qq-s-764, type 303, cond a-canceled federal specification single material response
Style Designator:
Plain
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-c