## NSN 3020-00-174-5579

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-174-5579

### Body Style:

Webbed, offset, solid

#### Attachment Method:

Mounting hole

#### Pitch Diameter:

2.8750 inches

#### **Teeth Quantity:**

46

Bore Style:

Plain both ends

#### Mounting Hole Thread Series Designator:

Unc transversely through hub, first end

#### Mounting Hole Thread Size:

0.312 inches transversely through hub, first end

#### Mounting Hole Type And Quantity:

1 plain transversely through hub, first end and 1 threaded transversely through hub, first end

#### Outside Diameter:

3.000 inches

#### **Tooth Form:**

Standard

#### Pressure Angle:

14.5000 degrees

#### Distance Between Body Face And Protruding Hub End:

0.660 inches first end

#### Face Width:

0.551 inches

#### Bore Diameter:

0.685 inches both ends

#### Hub Style Designator:

Plain both ends

#### Hub Diameter:

1.850 inches first end

#### Mounting Hole Diameter:

0.242 inches transversely through hub, first end

#### Material:

Copper alloy

#### Material Specification:

Mil-m-16576, grade a military specification single material response

#### Style Designator:

One protruding hub, one flush hub

#### Shelf Life:

N/a

# NSN 3020-00-174-5579

Spur Gear - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-m-16576 spec.