## NSN 3020-00-175-1281

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-175-1281

## Body Style:

Webbed, with lightening holes

## **Pitch Diameter:**

4.1250 inches

## Teeth Quantity:

99

## Bore Style:

W/ keyway both ends

## **Outside Diameter:**

4.207 inches

**Tooth Form:** 

Standard

#### **Pressure Angle:**

20.0000 degrees

**Distance Between Body Face And Protruding Hub End:** 

#### 0.115 inches both ends

Face Width:

0.250 inches

#### Bore Diameter:

0.394 inches both ends

## Keyway Width:

0.096 inches both ends

#### Distance From Bore Center To Keyway Bottom:

0.242 inches both ends

#### Hub Style Designator:

Plain both ends

#### Hub Diameter:

0.540 inches second end

#### **Precision Classification:**

Quality number 8

Material:

Aluminum alloy 6061

#### Material Specification:

Qq-a-225/8, t651 federal specification single material response

#### Surface Treatment:

Oxide film

## Surface Treatment Specification:

Mil-c-5541, type 1, grade c, class 3 military specification single treatment response

#### Style Designator:

Protruding hubs

#### Shelf Life:

N/a

# NSN 3020-00-175-1281

Spur Gear - Page 2 of 2



--

## Demilitarization:

Yes - demil/mli

Fiig:

A27300

Mil-std (military Standard):

Mil-c-5541 spec.

