## NSN 3020-00-175-1290



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-175-1290 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 7.0000 inches **Teeth Quantity:** 112 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc axially through body, first end **Mounting Hole Thread Size:** 0.164 inches axially through body, first end **Mounting Hole Type And Quantity:** 6 threaded axially through body, first end **Outside Diameter:** 7.124 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Face Width:** 0.500 inches **Bore Diameter:** 6.250 inches both ends **Precision Classification:** Quality number 8 **Bolt Hole Circle Diameter:** 6.552 inches axially through body, first end Material: Steel comp 630 **Material Specification:** Ams 5643 assn standard single material response **Surface Treatment: Passivate Surface Treatment Specification:** Mil-f-14072, finish e300 military specification single treatment response **Style Designator:** Hubless

Shelf Life:

N/a

## NSN 3020-00-175-1290

Spur Gear - Page 2 of 2



Init	<i>(</i> )+	Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A27300

Mil-std (military Standard):

Mil-f-14072 spec.