# NSN 3020-00-179-6797

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-179-6797

# Body Style:

Webbed, with lightening holes

# Spline Quantity:

18 both ends

# Pitch Diameter:

14.0000 inches

# Teeth Quantity:

56

#### Bore Style:

W/counterbore second end

### Spline Pitch Diameter:

2.2500 inches both ends

### Hardness Rating:

58.0 rockwell c and 62.0 rockwell c

### Outside Diameter:

## 14.562 inches

Nominallength:

4.344 inches

#### Tooth Form:

Special

## Pressure Angle:

25.0000 degrees

## Distance Between Body Face And Protruding Hub End:

1.562 inches first end

#### Face Width:

1.750 inches

#### Bore Diameter:

2.384 inches both ends

#### Counterbore Depth:

0.625 inches first end

#### **Counterbore Diameter:**

2.500 inches both ends

#### Hub Style Designator:

Plain both ends

#### Hub Diameter:

3.157 inches second end

#### Material:

Steel comp 4320h

## Material Specification:

66 federal standard single material response

## Surface Treatment:

Phosphate zinc

# NSN 3020-00-179-6797

Spur Gear - Page 2 of 2



## Surface Treatment Specification:

Mil-c-16232 type 2 military specification single treatment response

## Style Designator:

Protruding hubs

Shelf Life:

N/a

# Unit Of Measure:

---

### Demilitarization:

Yes - demil/mli

Fiig:

A27300

Mil-std (military Standard):

Mil-c-16232 spec.