NSN 3020-00-179-6797



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-179-6797 **Body Style:** Webbed, with lightening holes **Spline Quantity:** 18 both ends Pitch Diameter: 14.0000 inches **Teeth Quantity:** 56 **Bore Style:** W/counterbore second end **Spline Pitch Diameter:** 2.2500 inches both ends **Hardness Rating:** 58.0 rockwell c and 62.0 rockwell c **Outside Diameter:** 14.562 inches Nominallength: **4.344** inches **Tooth Form:** Special Pressure Angle: 25.0000 degrees **Distance Between Body Face And Protruding Hub End:** 1.562 inches first end **Face Width:** 1.750 inches **Bore Diameter:** 2.384 inches both ends **Counterbore Depth:** 0.625 inches first end **Counterbore Diameter:** 2.500 inches both ends **Hub Style Designator:** Plain both ends **Hub Diameter:** 3.157 inches second end Material: Steel comp 4320h **Material Specification:**

66 federal standard single material response **Surface Treatment:**

Phosphate zinc

NSN 3020-00-179-6797

Spur Gear - Page 2 of 2



Surface Treatment Speci

Mil-c-16232 type 2 military specification single treatment response

Style Designator:

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A27300

Mil-std (military Standard):

Mil-c-16232 spec.