## NSN 3020-00-179-6887

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-179-6887 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: Between 0.7490 inches and 0.7500 inches **Teeth Quantity:** 36 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end **Mounting Hole Thread Size:** 0.138 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 plain transversely through hub, first end and 1 threaded transversely through hub, first end **Outside Diameter:** 0.792 inches **Tooth Form:** Stub **Pressure Angle:** 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.250 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.250 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:** 0.406 inches first end **Mounting Hole Diameter:** 0.062 inches transversely through hub, first end Material: Steel comp 303 **Material Specification:** Qq-s-764, type 303, cond a federal specification single material response **Surface Treatment: Passivate** 

**Style Designator:** 

Protruding hub

## NSN 3020-00-179-6887

Spur Gear - Page 2 of 2



She	lf	I if	ρ.
~	•••		•

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300