## NSN 3020-00-183-7004

Spur Gear - Page 1 of 2

**Body Style:**Webbed, solid

Material:



View Online at https://aerobasegroup.com/nsn/3020-00-183-7004

Spline Quantity:		
64 both ends		
Attachment Method:		
Mounting hole		
Pitch Diameter:		
9.0000 inches		
Teeth Quantity:		
45		
Bore Style:		
Involute spline both ends		
Spline Pitch Diameter:		
4.0000 inches both ends		
Mounting Hole Thread Series Designator:		
Unf axially through body, first end		
Hardness Rating:		
58.0 rockwell c and 62.0 rockwell c teeth		
Mounting Hole Thread Size:		
0.312 inches axially through body, first end		
Mounting Hole Type And Quantity:		
6 threaded axially through body, first end		
Outside Diameter:		
9.350 inches		
Tooth Form:		
Standard		
Pressure Angle:		
25.0000 degrees		
Distance Between Body Face And Protruding Hub End:		
0.370 inches first end		
Face Width:		
1.130 inches		
Bore Diameter:		
4.118 inches both ends		
Hub Style Designator:		
Plain both ends		
Hub Diameter:		
5.531 inches second end		
Bolt Hole Circle Diameter:		
4.874 inches axially through body, first end		

Steel comp 4620h or steel comp 8617h or steel comp 8620h or steel comp 8822h

## NSN 3020-00-183-7004

Spur Gear - Page 2 of 2



Material	Specific	cation:

Mil-s-13048 military specification single material response

**Style Designator:** 

One protruding hub, one flush hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-s-13048 spec.