NSN 3020-00-184-9239

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-184-9239 **Body Style:** Webbed, with lightening holes **Spline Quantity:** 24 both ends Pitch Diameter: 10.8333 inches **Teeth Quantity:** 65 **Bore Style:** Involute spline both ends **Spline Pitch Diameter:** 2.4000 inches both ends **Hardness Rating:** 58.0 rockwell c and 62.0 rockwell c teeth **Outside Diameter:** 11.115 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.300 inches both ends **Face Width:** 1.000 inches **Bore Diameter:** 2.508 inches both ends **Counterbore Depth:** 0.300 inches first end **Hub Diameter:** 3.230 inches both ends **Special Features:** Counterbore 1st end 2.600 in. Diameter by 0.300 in. Deep Material: Steel comp 4620h or steel comp 8617h or steel comp 8620h or steel comp 8822h **Material Specification:** Mil-s-13048 military specification single material response **Style Designator:** Protruding hubs Shelf Life: N/a

Unit Of Measure:

NSN 3020-00-184-9239

Spur Gear - Page 2 of 2



em			

Yes - demil/mli

Fiig:

A27300

Mil-std (military Standard):

Mil-s-13048 spec.