## NSN 3020-00-186-3936

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-186-3936

## **Body Style:**

Webbed, with lightening holes

## Spline Quantity:

24 both ends

## Pitch Diameter:

10.3333 inches

## **Teeth Quantity:**

62

#### Bore Style:

Involute spline both ends

#### Spline Pitch Diameter:

2.4000 inches both ends

#### Hardness Rating:

58.0 rockwell c and 62.0 rockwell c teeth

#### Outside Diameter:

10.548 inches

## Tooth Form:

Standard

## Pressure Angle:

20.0000 degrees

## Distance Between Body Face And Protruding Hub End:

0.853 inches first end

## Face Width:

1.130 inches

## Bore Diameter:

2.508 inches both ends

#### Hub Style Designator:

Plain both ends

#### Hub Diameter:

3.230 inches first end

## **Special Features:**

Counterbore both ends, first end dia. 2.550 in. depth 0.620 in. second end dia. 2.525 in. depth 0.305 in.

## Material:

Steel comp 4620h or steel comp 8617h or steel comp 8620h

#### **Material Specification:**

66 federal standard single material response

#### Style Designator:

Protruding hubs

#### Shelf Life:

N/a

#### Unit Of Measure:

---

# NSN 3020-00-186-3936

Spur Gear - Page 2 of 2

## Demilitarization:

Yes - demil/mli

Fiig:

A27300

