## NSN 3020-00-190-8744

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-190-8744

Outside Diameter:
16.125 inches
Overall Length:
2.812 inches
Keyway Width:
0.500 inches
Bore Diameter:
2.438 inches
Bore Length:
2.812 inches
Distance From Center Of Bore To Bottom Of Keyway:
1.469 inches
Pitch Diameter:
15.763 inches
Face Width:
1.343 inches
Design Form:
Webbed
Bore Type:
Straight
Counterbore Feature:
Not included
Keying Facility:
Included
Keying Facility Type:
Keyway
Securing Method:
Setscrew
Lightening Hole:
Included
Protruding Hub Characteristic:
Plain
Securing Location:
Bb end
Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:
Double roller
Teeth Row Quantity:
2
Center To Center Distance Between Teeth Rows:

0.899 inches

## **NSN 3020-00-190-8744** Sprocket Wheel - Page 2 of 2



Teeth Quantity Per Row:
66
Asa Standard Chain Number:
D-60
Hardness Rating Test Method:
Not rated
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
0.750 inches
Hub End Outside Diameter And Location:
4.250 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
1.094 inches aa end and 0.375 inches bb end
Special Features:
Aa hub end chamfer 45 degrees
Material:
Iron, cast
Material:
Iron cast
Quantity:
1
Style Designator:
Webbed or spoked
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-c