NSN 3020-00-195-6027

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-195-6027

Attachment Method:
Mounting hole
Pitch Diameter:
Between 3.9052 inches and 3.9062 inches
Teeth Quantity:
125
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thread Size:
0.138 inches transversely through hub, first end
Mounting Hole Type And Quantity:
1 threaded transversely through hub, first end
Outside Diameter:
3.968 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.240 inches first end
Body Recess Depth:
0.031 inches second end
Face Width:
0.187 inches
Bore Diameter:
0.250 inches both ends
Hub Style Designator:
Pinned first end
Hub Diameter:
0.500 inches first end
Material:
Steel comp 303
Material Specification:
Qq-s-763, class303 federal specification single material response
Surface Treatment:
Passivate
Style Designator:
Protruding hub, recessed body
Furnished Items And Quantity:
1 setscrew

NSN 3020-00-195-6027

Spur Antibacklash Gear - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300

