## NSN 3020-00-195-6029

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-195-6029

Body Style: Plain, solid  Attachment Method: Mounting hole  Pitch Diameter: 1.0833 inches  Teeth Quantity: 52  Bore Style:
Attachment Method:  Mounting hole  Pitch Diameter:  1.0833 inches  Teeth Quantity:  52
Mounting hole  Pitch Diameter:  1.0833 inches  Teeth Quantity:  52
Pitch Diameter: 1.0833 inches Teeth Quantity: 52
1.0833 inches  Teeth Quantity: 52
Teeth Quantity: 52
52
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thread Size:
0.086 inches transversely through hub, first end
Mounting Hole Type And Quantity:
1 plain transversely through hub, first end and 1 threaded transversely through hub, first end
Outside Diameter:
1.124 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.190 inches first end
Face Width:
0.125 inches
Bore Diameter:
0.156 inches both ends
Hub Style Designator:
Pinned first end
Hub Diameter:
0.312 inches first end
Precision Classification:
Quality number 10
Special Features:
Mtg holes 90 degs apart
Material:
Steel comp 303
Material Specification:
Qq-s-763, class303 federal specification single material response

Passivate

**Surface Treatment:** 

## **NSN 3020-00-195-6029** Spur Gear - Page 2 of 2



Style Designator:
Protruding hub
Furnished Items And Quantity:
1 setscrew
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A27300