## NSN 3020-00-200-1020

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-200-1020

Outside Diameter:
4.522 inches
Overall Length:
3.438 inches
Keyway Width:
0.250 inches
Bore Diameter:
Between 1.750 inches and 1.751 inches
Bore Length:
3.438 inches
Distance From Center Of Bore To Bottom Of Keyway:
1.000 inches
Pitch Diameter:
4.194 inches
Face Width:
Between 1.737 inches and 1.755 inches
Guide:
Not included
Design Form:
Plain
Bore Type:
Bore Type.
Straight
Straight
Straight  Metallic Hardness Rating And Location:
Straight  Metallic Hardness Rating And Location:  35.0 rockwell c hub and 45.0 rockwell c hub
Straight  Metallic Hardness Rating And Location:  35.0 rockwell c hub and 45.0 rockwell c hub  Counterbore Feature:
Straight  Metallic Hardness Rating And Location:  35.0 rockwell c hub and 45.0 rockwell c hub  Counterbore Feature:  Not included
Straight  Metallic Hardness Rating And Location:  35.0 rockwell c hub and 45.0 rockwell c hub  Counterbore Feature:  Not included  Keying Facility:
Straight  Metallic Hardness Rating And Location:  35.0 rockwell c hub and 45.0 rockwell c hub  Counterbore Feature:  Not included  Keying Facility: Included
Straight  Metallic Hardness Rating And Location:  35.0 rockwell c hub and 45.0 rockwell c hub  Counterbore Feature:  Not included  Keying Facility: Included  Keying Facility Type:
Straight  Metallic Hardness Rating And Location:  35.0 rockwell c hub and 45.0 rockwell c hub  Counterbore Feature:  Not included  Keying Facility: Included  Keying Facility Type:  Keyway
Straight  Metallic Hardness Rating And Location: 35.0 rockwell c hub and 45.0 rockwell c hub  Counterbore Feature:  Not included  Keying Facility: Included  Keying Facility Type:  Keyway  Lightening Hole:
Straight  Metallic Hardness Rating And Location:  35.0 rockwell c hub and 45.0 rockwell c hub  Counterbore Feature:  Not included  Keying Facility: Included  Keying Facility Type:  Keyway  Lightening Hole:  Not included
Straight  Metallic Hardness Rating And Location:  35.0 rockwell c hub and 45.0 rockwell c hub  Counterbore Feature:  Not included  Keying Facility: Included  Keying Facility Type:  Keyway  Lightening Hole:  Not included  Protruding Hub Characteristic:
Straight  Metallic Hardness Rating And Location:  35.0 rockwell c hub and 45.0 rockwell c hub  Counterbore Feature:  Not included  Keying Facility: Included  Keying Facility Type:  Keyway  Lightening Hole:  Not included  Protruding Hub Characteristic:  Plain
Straight  Metallic Hardness Rating And Location:  35.0 rockwell c hub and 45.0 rockwell c hub  Counterbore Feature:  Not included  Keying Facility: Included  Keying Facility Type:  Keyway  Lightening Hole:  Not included  Protruding Hub Characteristic:  Plain  Belt/chain/film Size For Which Designed:
Straight  Metallic Hardness Rating And Location:  35.0 rockwell c hub and 45.0 rockwell c hub  Counterbore Feature:  Not included  Keying Facility: Included  Keying Facility Type:  Keyway  Lightening Hole:  Not included  Protruding Hub Characteristic:  Plain  Belt/chain/film Size For Which Designed:  Roller chain
Straight  Metallic Hardness Rating And Location:  35.0 rockwell c hub and 45.0 rockwell c hub  Counterbore Feature:  Not included  Keying Facility: Included  Keying Facility Type:  Keyway  Lightening Hole:  Not included  Protruding Hub Characteristic:  Plain  Belt/chain/film Size For Which Designed:  Roller Chain Pitch Type For Which Designed:
Straight  Metallic Hardness Rating And Location:  35.0 rockwell c hub and 45.0 rockwell c hub  Counterbore Feature:  Not included  Keying Facility: Included  Keying Facility Type:  Keyway  Lightening Hole:  Not included  Protruding Hub Characteristic:  Plain  Belt/chain/film Size For Which Designed:  Roller Chain Pitch Type For Which Designed:  Single pitch

0.707 inches

## **NSN 3020-00-200-1020** Sprocket Wheel - Page 2 of 2



Teeth Quantity Per Row:
21
Asa Standard Chain Number:
E-50
Hardness Rating Test Method:
Rockwell
Teeth Hardness Rating:
Between 35.0 rockwell c and 45.0 rockwell c
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
0.625 inches
Hub End Outside Diameter And Location:
2.375 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.875 inches both ends
Material:
Steel
Material:
Steel
Quantity:
1
Style Designator:
Plain
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-c