

View Online at <https://aerobasegroup.com/nsn/3020-00-200-1511>

Groove Depth:

0.500 inches

Groove Width:

0.500 inches

Outside Diameter:

9.125 inches

Overall Length:

1.625 inches

Thread Size:

3/8 - 16 thd size

Bore Diameter:

Between 0.9995 inches and 1.0005 inches

Bore Length:

1.625 inches

V Groove Angle In Deg:

38.0

Pitch Diameter:

8.719 inches

Securing Hole Quantity:

2

Material And Location:

Iron

Face Width:

1.250 inches

Design Form:

Webbed

Bore Type:

Straight

Bearings:

Not included

Groove Quantity:

2

Counterbore Feature:

Not included

Hole Location:

One hole located 3/8 in. From end of hub to center line of hole, other, 90 degrees apart

Keying Facility:

Not included

Securing Method:

Threaded hole

Split Hub Feature:

Not included

Web/spoke Relationship To Face Centerline:

Not offset

Lightening Hole:

Not included

Integral Cooling Vane:

Not included

Groove Shape:

V

Standard V-belt Section Designation For Which Designed:

A

Bore Feature:

Included

Securing Location:

Aa end

Hub End Outside Diameter And Location:

1.875 inches aa end and 2.125 inches bb end

Distance From Outside Flange/rim To Hub End And Location:

0.375 inches both ends

Style Designator:

Webbed or spoked

Fsc Application Data:

Dual prime pump assembly, concrete mixer

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T353-a