

View Online at <https://aerobasegroup.com/nsn/3020-00-200-1511>

**Groove Depth:**

0.500 inches

**Groove Width:**

0.500 inches

**Outside Diameter:**

9.125 inches

**Overall Length:**

1.625 inches

**Thread Size:**

3/8 - 16 thd size

**Bore Diameter:**

Between 0.9995 inches and 1.0005 inches

**Bore Length:**

1.625 inches

**V Groove Angle In Deg:**

38.0

**Pitch Diameter:**

8.719 inches

**Securing Hole Quantity:**

2

**Material And Location:**

Iron

**Face Width:**

1.250 inches

**Design Form:**

Webbed

**Bore Type:**

Straight

**Bearings:**

Not included

**Groove Quantity:**

2

**Counterbore Feature:**

Not included

**Hole Location:**

One hole located 3/8 in. From end of hub to center line of hole, other, 90 degrees apart

**Keying Facility:**

Not included

**Securing Method:**

Threaded hole

**Split Hub Feature:**

Not included

**Web/spoke Relationship To Face Centerline:**

Not offset

**Lightening Hole:**

Not included

**Integral Cooling Vane:**

Not included

**Groove Shape:**

V

**Standard V-belt Section Designation For Which Designed:**

A

**Bore Feature:**

Included

**Securing Location:**

Aa end

**Hub End Outside Diameter And Location:**

1.875 inches aa end and 2.125 inches bb end

**Distance From Outside Flange/rim To Hub End And Location:**

0.375 inches both ends

**Style Designator:**

Webbed or spoked

**Fsc Application Data:**

Dual prime pump assembly, concrete mixer

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T353-a