NSN 3020-00-203-1341



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-203-1341 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.7500 inches **Teeth Quantity:** 36 **Bore Style:** W/counterbore both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 32 transversely through hub, first end **Mounting Hole Thread Size:** 0.164 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 2 threaded transversely through hub, first end **Outside Diameter:** 0.792 inches Nominallength: 0.375 inches **Tooth Form:** Standard **Pressure Angle:** 14.5000 degrees **Distance Between Body Face And Protruding Hub End:** 0.250 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.251 inches both ends **Counterbore Depth:** 0.062 inches second end **Counterbore Diameter:** 0.625 inches second end **Hub Style Designator:** Pinned first end **Hub Diameter:**

0.562 inches first end

Copper alloy 360

Material:

NSN 3020-00-203-1341

Spur Gear - Page 2 of 2



M	late	rial	Sp	ecif	icat	ion:
			~	••••		. •

Qq-b-626, comp 22, 1/2h federal specification single material response

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300