NSN 3020-00-214-1437

Spur Gear - Page 1 of 2

Style Designator: Protruding hubs



View Online at https://aerobasegroup.com/nsn/3020-00-214-1437

| Body Style: |
|--|
| Plain, solid |
| Attachment Method: |
| Clamp |
| End Application: |
| Helicopter, rh-53; helicopter, sea knight h-46; helicopter, ch-53a/d/e; helicopter, sea sprite h-2; helicopter, sea king h-3; aircraft, ta-4 |
| hercules c-130f, stratofortress b-52 |
| Pitch Diameter: |
| Between 0.7490 inches and 0.7500 inches |
| Teeth Quantity: |
| 60 |
| Bore Style: |
| Plain both ends |
| Outside Diameter: |
| 0.773 inches |
| Nominallength: |
| 0.197 inches |
| Tooth Form: |
| Standard |
| Pressure Angle: |
| 14.5000 degrees |
| Distance Between Body Face And Protruding Hub End: |
| 0.089 inches first end |
| Face Width: |
| 0.025 inches |
| Bore Diameter: |
| 0.075 inches both ends |
| Hub Style Designator: |
| 1 step both ends |
| End Length: |
| 0.088 inches first end |
| End Diameter: |
| 0.123 inches first end |
| First Step Length: |
| 0.001 inches first end |
| First Step Diameter: |
| 0.126 inches first end |
| Special Features: |
| 2nd hub tapered 7 degrees porm 15 min, 2 slots 0.015 in. W by 0.064 in. Lg |
| Material: |
| Aluminum teeth |

NSN 3020-00-214-1437

Spur Gear - Page 2 of 2



| She | lf I | Life: |
|-----|------|-------|
| | | |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300