## NSN 3020-00-214-1437

Spur Gear - Page 1 of 2

**Style Designator:** Protruding hubs



View Online at https://aerobasegroup.com/nsn/3020-00-214-1437

Body Style:
Plain, solid
Attachment Method:
Clamp
End Application:
Helicopter, rh-53; helicopter, sea knight h-46; helicopter, ch-53a/d/e; helicopter, sea sprite h-2; helicopter, sea king h-3; aircraft, ta-4
hercules c-130f, stratofortress b-52
Pitch Diameter:
Between 0.7490 inches and 0.7500 inches
Teeth Quantity:
60
Bore Style:
Plain both ends
Outside Diameter:
0.773 inches
Nominallength:
0.197 inches
Tooth Form:
Standard
Pressure Angle:
14.5000 degrees
Distance Between Body Face And Protruding Hub End:
0.089 inches first end
Face Width:
0.025 inches
Bore Diameter:
0.075 inches both ends
Hub Style Designator:
1 step both ends
End Length:
0.088 inches first end
End Diameter:
0.123 inches first end
First Step Length:
0.001 inches first end
First Step Diameter:
0.126 inches first end
Special Features:
2nd hub tapered 7 degrees porm 15 min, 2 slots 0.015 in. W by 0.064 in. Lg
Material:
Aluminum teeth

## NSN 3020-00-214-1437

Spur Gear - Page 2 of 2



She	lf I	Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300