# NSN 3020-00-217-7696

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-217-7696

#### **Body Style:**

Webbed, offset, solid

## Spline Quantity:

13 both ends

# Pitch Diameter:

3.0000 inches

## **Teeth Quantity:**

30

#### Bore Style:

Involute spline both ends

#### Spline Pitch Diameter:

3.0000 inches both ends

#### Hardness Rating:

58.0 rockwell c and 62.0 rockwell c teeth

#### Outside Diameter:

3.163 inches

# Nominallength:

1.630 inches

## Tooth Form:

Stub

## Pressure Angle:

20.0000 degrees

### Distance Between Body Face And Protruding Hub End:

1.245 inches first end

#### **Body Recess Depth:**

0.258 inches both ends

#### Face Width:

0.385 inches

#### Bore Diameter:

0.610 inches both ends

#### Hub Style Designator:

1 step first end

#### End Length:

1.185 inches first end

#### End Diameter:

0.810 inches first end

#### First Step Length:

0.060 inches first end

#### First Step Diameter:

1.200 inches first end

## Material:

Steel

# NSN 3020-00-217-7696

Spur Gear - Page 2 of 2



Material Specification:

Ams6274 assn standard single material response

# Style Designator:

Protruding hub, recessed body

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300