NSN 3020-00-222-8635

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-222-8635

Counterbore Diameter:
Between 1.374 inches and 1.375 inches
Counterbore Depth:
0.625 inches
Outside Diameter:
2.710 inches
Overall Length:
0.813 inches
Bore Diameter:
Between 1.250 inches and 1.253 inches
Bore Length:
0.813 inches
Pitch Diameter:
2.415 inches
Face Width:
0.343 inches
Design Form:
Plain
Bore Type:
Straight
Counterbore Feature:
Included
Counterbore Location:
Bb end
Keying Facility:
Not included
Lightening Hole:
Not included
Protruding Hub Characteristic:
Plain
Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:
1
Teeth Quantity Per Row:
12
Asa Standard Chain Number:
50
Hardness Rating Test Method:
-

Not rated

NSN 3020-00-222-8635 Sprocket Wheel - Page 2 of 2



Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
0.625 inches
Hub End Outside Diameter And Location:
1.672 inches aa end
Distance From Outside Flange/rim To Hub End And Location:
0.470 inches aa end
Special Features:
One oil groove approx 0.038 in. Deep by 0.050 to 0.060 in. Wide located 0.547 in. From aa end of hub
Material:
Steel, fed standard 66, aisi or sae 1040 or 1045
Material:
Steel, fed standard 66, aisi or sae 1040 or 1045
Style Designator:
Plain
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-c