## NSN 3020-00-222-8723

View Online at https://aerobasegroup.com/nsn/3020-00-222-8723

Spur Gear - Page 1 of 2



**Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.7812 inches **Teeth Quantity:** 75 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 40 transversely through hub, first end **Mounting Hole Thread Size:** 0.112 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 0.800 inches Nominallength: 0.276 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.171 inches first end **Face Width:** 0.105 inches **Bore Diameter:** 0.188 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:** 0.370 inches first end Material: Copper alloy 642 **Material Specification:** Qq-c-465, alloy 642 federal specification single material response **Style Designator:** Protruding hub

## NSN 3020-00-222-8723

Spur Gear - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300