

View Online at <https://aerobasegroup.com/nsn/3020-00-223-7155>

Groove Depth:

0.350 inches

Groove Width:

0.312 inches

Outside Diameter:

Between 8.548 inches and 8.576 inches

Overall Length:

Between 1.917 inches and 1.957 inches

Keyway Width:

Between 0.1885 inches and 0.1905 inches

Bore Diameter:

Between 0.875 inches and 0.876 inches

Bore Length:

1.750 inches

Distance From Center Of Bore To Bottom Of Keyway:

0.534 inches

V Groove Angle In Deg:

40.0

Material And Location:

Iron, cast, fed qq-i, 666 grade 1

Face Width:

Between 1.855 inches and 1.895 inches

Design Form:

Spoked

Bore Type:

Straight

Bearings:

Not included

Groove Quantity:

4

Counterbore Feature:

Not included

Keying Facility:

Included

Keying Facility Type:

Keyway

Securing Method:

Compression

Split Hub Feature:

Included

Web/spoke Relationship To Face Centerline:

Offset

Lightening Hole:

Not included

Integral Cooling Vane:

Not included

Groove Shape:

V

Bore Feature:

Included

Hub Split Location:

Through one wall

Clamping Bolt Quantity:

0

Securing Location:

Aa end

Hub End Outside Diameter And Location:

1.750 inches aa end and 1.750 inches bb end

Distance From Outside Flange/rim To Hub End And Location:

0.062 inches aa end and 0.187 inches bb end

Quantity:

1

Surface Treatment:

Enamel

Style Designator:

Webbed or spoked

Surface Treatment:

Enameled

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T353-a