# NSN 3020-00-225-6966

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-225-6966

**Body Style:** 

Plain, solid

**Pitch Diameter:** 

0.4167 inches

# Teeth Quantity:

40

## Bore Style:

Plain both ends

**Outside Diameter:** 

0.435 inches

Nominallength:

### 0.281 inches

Tooth Form:

Standard

#### Pressure Angle:

20.0000 degrees

### Distance Between Body Face And Protruding Hub End:

0.156 inches first end

#### Face Width:

0.125 inches

# Bore Diameter:

0.125 inches both ends

## Hub Style Designator:

Pinned first end

## Hub Diameter:

0.312 inches first end

### **Precision Classification:**

Ultra precision class 1

### Material:

Steel comp 303

### **Material Specification:**

Mil-s-7720 military specification single material response

#### Surface Treatment:

Passivate

### Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

# Style Designator:

Protruding hub

Shelf Life:

N/a

#### Unit Of Measure:

---

# NSN 3020-00-225-6966

Spur Gear - Page 2 of 2

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-s-7720 spec.

