## NSN 3020-00-226-0177

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-226-0177 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.6670 inches **Teeth Quantity:** 64 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 56 transversely through hub, first end **Mounting Hole Thread Size:** 0.086 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 0.688 inches Nominallength: 0.281 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.189 inches first end **Face Width:** 0.092 inches **Bore Diameter:** 0.125 inches both ends **Hub Style Designator:** Pinned first end **Hub Diameter:** 0.312 inches first end Material: Steel comp 303se **Material Specification:** Mil-s-7720, comp 303se military specification single material response **Surface Treatment: Passivate** 

## NSN 3020-00-226-0177

Spur Gear - Page 2 of 2



Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

Mil-std (military Standard):

Mil-s-7720 spec.