NSN 3020-00-226-1062

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-226-1062

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
1.2170 inches
Teeth Quantity:
146
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
56 transversely through hub, first end
Mounting Hole Thread Size:
0.086 inches transversely through hub, first end
Mounting Hole Type And Quantity:
1 threaded transversely through hub, first end
Outside Diameter:
1.233 inches
Nominallength:
0.375 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.250 inches first end
Face Width:
0.125 inches
Bore Diameter:
0.125 inches both ends
Hub Style Designator:
1 step first end
End Length:
0.188 inches first end
End Diameter:
0.500 inches first end
First Step Length:
0.063 inches first end
First Step Diameter:

0.875 inches first end

NSN 3020-00-226-1062

Spur Gear - Page 2 of 2

Mil-std (military Standard):

Mil-s-7720 spec.



Material:
Steel comp 303se body
Material Specification:
Qq-a-250/4, alloy 2024, t3 federal specification single material response teeth
Surface Treatment:
Passivate body
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A27300