## NSN 3020-00-228-0937



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-228-0937 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.4170 inches **Teeth Quantity:** 40 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 56 transversely through hub, first end **Mounting Hole Thread Size:** 0.086 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 0.438 inches Nominallength: 0.343 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.168 inches first end **Face Width:** 0.175 inches **Bore Diameter:** 0.156 inches both ends **Hub Style Designator:** 

## 0.156 inches both ends Hub Style Designator: Plain first end Hub Diameter: 0.344 inches first end Material: Steel comp 303

**Material Specification:** 

Qq-s-764, type 303, cond a federal specification single material response

**Surface Treatment:** 

**Passivate** 

## NSN 3020-00-228-0937

Spur Gear - Page 2 of 2



•		
StVID	l Jacian	ator.
OLYIC	Design	atoi.

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300